1 What is terbinafine for?

This medicine eliminates the fungi that have infected your skin and hair.

2 How and when to take this medicine







Swallow the tablet with a glass of water ...

OR grind up the tablet. If you decide to grind it up, you must take the medicine straight away. You can mix it with a spoonful of fruit compote or yoghurt, but do not mix it with water!

| weign | t: kg | Prescribed dose: mg |
|-------|---------------------------------|----------------------|
| 0 | \square Take the whole tablet | |
| | (250 mg |) |
| 0 | | in two and take half |
| | (125 mg |) |
| 6 | \square Cut the tablet | in 4 and take ¼ |
| | | |

(62.5 mg)



Once a day, at the same time, with meals.



3 How to store terbinafine



This medicine should be stored at room temperature, in its packaging, until its expiry date.



4 What to do if you miss a dose

Do not double the next dose!

If you miss a dose, do not double the next dose, just continue your treatment normally.

5 Other precautions to take during your treatment

- Be sure to apply the cream locally
- Cut hair short
- > Wash sheets, towels, etc. at 60 °C
- A liver function test may be required before and possibly during treatment (not systematic)
- > To avoid any interaction with other treatments, tell your doctor or pharmacist that you are taking this medicine!



6 What should you monitor during your treatment with TERBINAFINE?

In the event of:

- loss of appetite, persistent abdominal pain, nausea, vomiting, abnormal crying, unusual fatigue
- > dark urine, discoloured stools, yellow skin
- fever, sore throat, bleeding, particularly from the gums
- > skin rash or redness

Terbinafine 250 mg tablets

CONTACT YOUR DOCTOR IMMEDIATELY!

This information sheet belongs to:

.....

Questions?

Consult your doctor, paediatrician or pharmacist.

This sheet contains essential information but does not replace the medicine leaflet, which should also be read.

1 What is itraconazole for?

This medicine eliminates the fungi that have infected your skin and hair.

2 How to take this medicine







Swallow the capsule with a glass of water. Do not open the capsule.

3 When to take this medicine

Once a day, at the same time, outside meals.

Do not eat for **at least one hour** after taking this medicine.



4 How to store itraconazole



This medicine should be stored at room temperature, in its packaging, until its expiry date.



5 What to do if you miss a dose

Do not double the next dose!

If you miss a dose, do not double the next dose, just continue your treatment normally the next day.

- 6 Other precautions to take during your treatment
- Be sure to apply the cream locally
- Cut hair short
- ➤ Wash sheets, towels, etc. at 60 °C
- ➤ A liver function test may be requeired before and possibly during treatment (not systematic)

> To avoid any interaction with other treatments, tell your doctor or pharmacist that you are taking this medicine!



Document updated in 2024 following the withdrawal of itraconazole oral solution from the market.

6 What should you monitor during your treatment with ITRACONAZOLE?

In the event of:

- loss of appetite, persistent abdominal pain, nausea, vomiting, abnormal crying, unusual fatigue
- dark urine, discoloured stools, yellow skin

CONTACT YOUR DOCTOR IMMEDIATELY!

Questions?

Consult your doctor, paediatrician or pharmacist.

Itraconazole 100 mg capsules

Document updated in 2024 following the withdrawal of itraconazole oral solution from the market.

This information sheet belongs to:

.....

This sheet contains essential information but does not replace the medicine leaflet, which should also be read.